

AFTERMARKET HANDBOOK

INDUSTRIAL AIR FILTRATION




AN EASY GUIDE TO YOUR
REPLACEMENT PART NUMBER




TABLE OF CONTENT

CARTRIDGE MEDIA SELECTOR	3	BAG MEDIA SELECTOR	18
DONALDSON CARTRIDGES & PANELS	4	DALAMATIC BAGS	19
Cartridges		Bags	
Cartridges (TD, SiloAir, DCE)		UNIMASTER BAGS	20
PowerCore Pack		Bags	
Vibrashake Cartridge		Eccentric/Conn	
Panels (Unicell, HV, UNC, SpotAir)		Rod Kit Pack	
OTHER CARTRIDGES & PANELS	7	Mattress Insert	
Generic Cartridge Capabilities		Shaker Bar	
Generic Panel Capabilities		Bag Edging Polypropylene	
Top Sellers		Top Frame Assembly	
AAF		Gasket Mattress Frame Sponge Rubber	
Nederman / Dantherm		UNIT REPLACEMENT PARTS	22
Plymovent		Valves	
Kemper		Magnehelic Gauge Kit	
Camfil		Sealer Gear	
Quick Fix		Sealer Gear Canvas Sleeve	
TEKA		Dust Bin	
RD 60/72/100		Dust Disposal Bag	
Other Brands		Gaskets	
OIL MIST FILTERS	15	PCB (Printed Circuit Board)	
DMC		Inline Micrafilter	
WSO		Air Filter Regulator	
		ECOMMERCE	26

Notification: All measurements are in mm, unless stated differently. In the descriptions the following abbreviations are used: SB - Spunbound, FR - Flame Retardant.



What is the operating temperature?





Cartridges



Design	Triagonal	Oval	Round	Round	Round
Diameter (mm)	349 X 349	289 X 365	324	324	352
Length (mm)	660	660	660	660	660
Top end cap	OPEN	OPEN	OPEN	OPEN	OPEN
Bottom end cap	OPEN	OPEN	CLOSED WITH HOLE	OPEN	OPEN
Unit model	DFE, DFPRE	DFO, DFPRO	TDS / TDP, DFP ECB, PT1001	2DF4 & Larger	DFT, DF+
Media					
Ultra-Web	2626827-000-440	2625112-000-440	2625002-000-440	2625001-000-440	2625025-000-440
Ultra-Web Earthed	2626827E-000-440	2625112E-000-440	2625002E-000-440	2625001E-000-440	2625025E-000-440
Ultra-Web Flame Retardant	2626913-000-440	2625115	2625023-000-440	2625015-000-440	2625026-000-440
Ultra-Web Flame Retardant Earthed	2626913E-000-440	2625115E	2625023E	2625015E-000-440	2625026E-000-440
Ultra-Web Anti-Static Flame Retardant	2627284-000-440	2626784-000-440	2626639-000-440	2626783-000-440	2626785-000-440
Ultra-Web Conductive Flame Retardant					P034078-016-436
Ultra-Web Spunbond	2626915-000-440	2625174-000-440	2625180-000-440	2625178-000-440	2625176-000-440
Ultra-Web Spunbond Earthed	2626915E-000-440	2625174E-000-440	2625180E-000-440	2625178E-000-440	2625176E-000-440
Ultra-Web Spunbond Anti-Static	2627283-000-440	2625175-000-440	2625181-000-440	2625179-000-440	2625173-000-440
Fibra-Web	P034306-016-431	2625116	2625061	2625059	2625060
Fibra-Web Earthed	P034306E-016-431	2625116E	2625061E	2625059E	2625060E
Fibra-Web Flame Retardant	P034307-016-431				
Thermo-Web	P034308-016-429	2626582	2626588	2626584	2626586
Thermo-Web Earthed	P034308E-016-429	2626582E	2626588E	2626584E	2626586E
Torit-Tex	2627286-000-440	2625117	2625074	2625072	2625073
Torit-Tex Earthed	2627286E-000-440	2625117E	2625074E	2625072E	2625073E
Torit-Tex Anti-Static	2627287-000-440	2625150	2625151	2625148	2625149
Kevlar - Nomex	P034311-016-340	P030590-016-340	P134183-016-340	P190857-016-340	P780393-016-425
Kevlar - Nomex Earthed			P134183E-016-340		
Cellulex			2625005	2625006	2625088
Cellulex Earthed			2625005E	2625006E	2625088E
Standard Cellulose with Nanofilbers		2627114-000-440	2627116-000-440	2627115-000-440	2627117-000-440
Standard Cellulose Flame Retardant with Nanofibers		R080396-000-440	R080397-000-440	R080398-000-440	R080399-000-440
Standard Cellulose Flame Retardant with Nanofibers Earthed			R080407-000-440	R080408-000-440	
Standard Polyester		2626924-000-440	2626926-000-440	2626925-000-440	2626927-000-440
Standard Polyester Earthed		2626924E-000-440	2626926E-000-440	2626925E-000-440	
Polyester Anti-Static		2627324-000-440	2627332-000-440	2627325-000-440	2627327-000-440
Blended 80/20		2627126-000-440	2626912-000-440	2626911-000-440	2626910-000-440
Blended 80/20 Earthed		2627126E-000-440	2626912E-000-440		2627341E-000-440
Blended 90/10 Flame Retardant		R080114-000-440	R080583-000-440		
Blended 90/10 Flame Retardant Earthed		R080115-000-440			

Other options with Stainless steel, with/without outer liner, other media options are available as well and can be viewed on eCom or requested via your current sales contact.



Cartridges (TD, SiloAir, DCE)



Design	Round	Cartridge Round	Cartridge Round
Diameter (mm)	202	201	201
Length (mm)	406	568	810
Top end cap	OPEN	OPEN	OPEN
Bottom end cap	CLOSED WITH HOLE	CLOSED	CLOSED
Unit model	TD Small	SILOAIR VS10 (4) VS15 (6) VS20 (8) DCE 125 (1)	SILOAIR VS14 (4) VS21 (6) VS28 (8) DCE 136 (1)


Media

Ultra-Web	2625007-000-440		
Ultra-Web Earthed	2625007E-000-440		
Ultra-Web Spunbond		1A51399014 440	1A51399016 440
Ultra-Web Spunbond Anti-Static		1A51399015 440	1A51399017 440
Torit-Tex	2625085-000-440	1A51399009A 440	1A51399010A 440
Torit-Tex Anti-Static		1A51399011 440	1A51399012 440
Torit-Tex Earthed	2625085E-000-440		
Standard Polyester	2627355-000-440	2627350-000-440	2627351-000-440
Polyester Anti-Static	2627363-000-440	2627358-000-440	2627359-000-440
Polyester Anti-Static Food		2627367-000-440	2627368-000-440
Polyester Anti-Static Food + PTFE		2627369-000-440	2627370-000-440
Fibra-Web	P191267-016-340		
Fibra-Web Earthed	2625071E		
Kevlar - Nomex Earthed	2625008		
Cellulux	2625008		
Cellulux Earthed	2625008E		



PowerCore Pack

Design	Pack Obround
Diameter	W192 x H178
Length	568
Unit model	POWERCORE, CPC, CPV, SVU
Media	
Ultra-Web	R080325-000-440
Ultra-Web Conductive Flame Retardant	P032643-016-360
Ultra-Web Spunbond	P033770-016-360



Vibrashake Cartridge

Diameter	422
Top end cap	OPEN
Bottom end cap	CLOSED
Media	
Cellulux Earthed (VS 550 - length 274)	P190620-016-340*
Cellulux Earthed (VS 1200 - length 528)	P190613-016-340*
Cellulux Earthed (VS 1500 - length 680)	P190598-016-340*

* Cartridge with wrap




Panels (Unicell, HV, UNC, SpotAir)

Design	Panel	Panel
Diameter (mm)	W478	W478
Length (mm)	804	1004
Unit model	UNICELL - C8 (2) C16 (4) C24 (6) C32 (8) C48 (12) C72 (18) HV - C508 (2) C516 (4) C524 (6) C548 (12)	UNICELL - C10 (2) C20 (4) C30 (6) C40 (8) C50 (10) C60 (12) C75 (15) C90 (18) UNC - C120 (24) C160 (32) C240 (48) C320 (64) HV - C510 (2) C520 (4) C530 (6) C540 (8) SPOTAIR SA-C100 (2)
Media		
Ultra-Web Spunbond	1A63399013 440	1A64399011 440
Ultra-Web Spunbond Anti-Static	1A63399014 440	1A64399012 440
Torit-Tex	1A63399006A 440	1A64399006A 440
Torit-Tex Anti-Static	1A63399007 440	1A64399007 440
HI-Efficiency Polyester	2626834-000-440	2626832-000-440
HI-Efficiency Polyester Anti-Static	2626835-000-440	2626833-000-440
Standard Polyester	2627352-000-440	2627353-000-440
Polyester Anti-Static	2627360-000-440	2627361-000-440

Generic Cartridge Capabilities

Donaldson offers many models, sizes and shapes of filter elements, with both standard and premium media options. To help you find the right element suitable for your Dust Collector from a non-Donaldson brand at www.shop.donaldson.com, this chapter will help you guide through the Donaldson generic cartridge capabilities. The elements are grouped per top-end-cap design and can be offered in different diameters, lengths and media options.



OPENTOP END CAP

Conical or straight

- Open Bottom End Cap
- Closed with Hole Bottom End Cap
- Closed Bottom End Cap



QUICK FIX 4

End Cap options

- Ø 216 mm - Pitch Ø 300 mm
- Ø 218 mm - Pitch Ø 267 mm
- Ø 325 mm - Pitch Ø 366 mm



THREADED


Conical or straight

- RD-60 End Cap
- RD-72 End Cap
- RD-100 End Cap



ROUND FLANGE

Conical or straight




TURN AND FIX

Bayonet Height: 47, 54, 60

Conical or straight




SQUARE FLANGE



3 LUGS

- Open Bottom End Cap
- Closed Bottom End Cap



OPEN 4 BOLTS



QUICK FIX 3

- Ø 115 mm - Pitch Ø 145 mm
- Ø 125 mm - Pitch Ø 160 mm
- Ø 135 mm - Pitch Ø 170 mm
- Ø 145 mm - Pitch Ø 180 mm
- Ø 145 mm - Pitch Ø 195 mm
- Ø 156 mm - Pitch Ø 207 mm
- Ø 218 mm - Pitch Ø 267 mm
- Ø 325 mm - Pitch Ø 366 mm
- Ø 325mm - Pitch Ø 397mm
- Ø 325mm - Pitch Ø 400mm



OPEN 2 BOLTS



PLUG


Generic Panel Capabilities



NEDERMAN

Available lengths:

- 745mm
- 945mm



HANDTE

Available lengths:

- 606mm
- 1043mm



WAM

Available lengths:

- 520mm
- 770mm
- 920mm



HERDING SINTERED TUBES

Available sizes

- | | |
|-----------|-----------|
| - 900/8 | - 1500/8 |
| - 900/18 | - 1500/12 |
| - 1200/8 | - 1500/16 |
| - 1200/18 | - 1500/18 |



HERDING SINTAMATIC PANEL


Available sizes

- | | |
|-----------|-----------|
| - 900/8 | - 1500/8 |
| - 900/18 | - 1500/12 |
| - 1200/8 | - 1500/16 |
| - 1200/18 | - 1500/18 |

TOP SELLERS


Did you not find the exact cartridge you are searching for?

Search by competitor brand and filter on attributes on www.shop.donaldson.com or contact your Aftermarket Sales Team.




AAF

Part number	Description	D (mm)	L (mm)	Filter area (m ²)
2627388-000-440	CARTRIDGE OPEN/OPEN ULTRA-WEB	352	709	25,3
2627388E-000-440	CARTRIDGE OPEN/OPEN ULTRA-WEB EARTHED	352	709	25,3
2625501-000-440	CARTRIDGE OPEN/OPEN ULTRA-WEB FR	352	709	25,7
2625501E-000-440	CARTRIDGE OPEN/OPEN ULTRA-WEB FR EARTHED	352	709	25,7
2626461	CARTRIDGE OPEN/OPEN ULTRA-WEB SB EARTHED	352	709	11,4
2626953-000-440	CARTRIDGE OPEN/OPEN ULTRA-WEB SB EARTHED 2 GASKETS	352	709	11,4
2627346-000-440	CARTRIDGE OPEN/OPEN BLENDED 80/20 OUTER LINER	352	709	25.3
2627347-000-440	CARTRIDGE OPEN/OPEN BLENDED 90/10 FR OUTER LINER	352	709	25.3
2627347E-000-440	CARTRIDGE OPEN/OPEN BLENDED 90/10 FR OUTER LINER EARTHED	352	709	25.3
2626444	CARTRIDGE OPEN/OPEN CELLULEX FR	352	709	25.3
2626444E	CARTRIDGE OPEN/OPEN CELLULEX FR EARTHED	352	709	25.3



Nederman / Dantherm

Part number	Description	D (mm)	L (mm)	Filter area (m ²)
2626968-000-440	CARTRIDGE OPEN/CLOSED POLYESTER PTFE COATED 4 BOLTS	185	870	4
2626975-000-440	CARTRIDGE OPEN/CLOSED POLYESTER PTFE COATED WITH 4 BOLTS	185	1390	6,5
2626391	CARTRIDGE OPEN/CLOSED POLYESTER WITH 4 BOLTS	185	1390	6,6
2626972-000-440	CARTRIDGE OPEN/CLOSED TORIT-TEX ANTI-STATIC WITH 4 BOLTS	185	870	4
2626961-000-440	CARTRIDGE OPEN/CLOSED TORIT-TEX OD WITH 4 BOLTS	185	500	2,24
2626977-000-440	CARTRIDGE OPEN/CLOSED TORIT-TEX WITH 4 BOLTS	185	1390	6,6
2627445-000-440	CARTRIDGE OPEN/CLOSED ULTRA-WEB FR WITH 4 BOLTS	185	500	5,1
2626958-000-440	CARTRIDGE OPEN/CLOSED ULTRA-WEB SB ANTI-STATIC WITH 4 BOLTS	185	500	2,24
2626967-000-440	CARTRIDGE OPEN/CLOSED ULTRA-WEB SB ANTI-STATIC WITH 4 BOLTS	185	870	4
2627098-000-440	CARTRIDGE OPEN/CLOSED ULTRA-WEB SB WITH 4 BOLTS	185	1390	6,5
2626966-000-440	CARTRIDGE OPEN/CLOSED ULTRA-WEB SB WITH 4 BOLTS	185	870	4
2627316-000-440	PANEL POLYESTER PTFE COATED W 700MM	90	745	10
2627319-000-440	PANEL POLYESTER PTFE COATED W 700MM	90	945	12
2627318-000-440	PANEL TORIT-TEX (9032) W 700 MM	90	745	10
2627321-000-440	PANEL TORIT-TEX (9032) W 700 MM	90	945	12




Plymovent

Part number	Description	D (mm)	L (mm)	Filter area (m ²)
2627288-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM ULTRA-WEB SB	325	750	12
2626346	CARTRIDGE CLOSED WITH HOLE 13.5 MM ULTRA-WEB SB ANTI-STATIC	324	750	12,1
2625534	CARTRIDGE CLOSED WITH HOLE 13.5 MM ULTRA-WEB SB EARTHED	324	750	12,1
2625861	CARTRIDGE CLOSED WITH HOLE 15 MM ULTRA-WEB SB ANTI-STATIC	324	764	12,4
2625860	CARTRIDGE CLOSED WITH HOLE 15 MM ULTRA-WEB SB EARTHED	324	764	12,4
2627161-000-440	CARTRIDGE OPEN/OPEN CELLULOSE FR NO OUTER LINER	860	606	75



Kemper


Part number	Description	D (mm)	L (mm)	Filter area (m ²)
2626797-000-440	CARTRIDGE OPEN/OPEN POLYESTER WITH PTFE	327	400	4
2626380-000-440	CARTRIDGE OPEN/OPEN ULTRA-WEB FR EARTHED	327	600	14,5
2626486-000-440	CARTRIDGE OPEN/OPEN ULTRA-WEB FR EARTHED	352	600	17,5
2626299-000-440	CARTRIDGE CLOSED WITH HOLE 13.5 MM ULTRA-WEB FR EARTHED	327	400	9,6
2626327-000-440	CARTRIDGE CLOSED WITH HOLE 13.5 MM ULTRA-WEB FR EARTHED	327	600	14,5
2626361-000-440	CARTRIDGE CLOSED WITH HOLE 13.5 MM ULTRA-WEB FR EARTHED GLUED	327	1200	29
2626368	CARTRIDGE CLOSED WITH HOLE 13.5 MM ULTRA-WEB SB EARTHED	327	1200	20
2626340	CARTRIDGE CLOSED WITH HOLE 13.5 MM ULTRA-WEB SB EARTHED	327	600	29
2626270-000-440	CARTRIDGE CLOSED WITH HOLE 16 MM ULTRA-WEB FR EARTHED	352	600	17,5
2626487-KIT	CARTRIDGE CLOSED WITH HOLE 16 MM ULTRA-WEB FR EARTHED KIT WITHOUT YOKE	352	1200	34



Camfil

Part number	Description	D (mm)	L (mm)	Filter area (m ²)
P191865-016-340	FARR TENKAY ULTRA-WEB CARTRIDGE	324	600	21
P191827-016-340	FARR TENKAY ULTRA-WEB FR CARTRIDGE	324	660	21
P033146-016-436	FARR TENKAY ULTRA-WEB FR CARTRIDGE	324	864	26,76
P034281-016-436	FARR TENKAY ULTRA-WEB FR CARTRIDGE	324	991	30,75
P031236-016-340	FARR TENKAY ENDURA-TEK FR CARTRIDGE	324	864	26,76
R080057-000-440	FARR GOLD SERIES ULTRA-WEB SB CARTRIDGE EARTHED	373	991	19,7
R080058-000-440	FARR GOLD SERIES ULTRA-WEB FR CARTRIDGE EARTHED	373	991	38,8
P281756-016-002	FARR GOLD SERIES ULTRA-WEB FR CARTRIDGE	373	991	38,8


OTHER CARTRIDGES & PANELS



Quick Fix

Part number	Description	D (mm)	L (mm)	Filter area (m ²)
2626753-000-440	CARTRIDGE QUICK FIX 3 HOOK POLYESTER ANTI-STATIC DAP	325	1018	16
2626551	CARTRIDGE QUICK FIX 3 HOOK POLYESTER ANTI-STATIC DAP & CAP	145	1515	5,61
2627190-000-440	CARTRIDGE QUICK FIX 3 HOOK POLYESTER ANTI-STATIC DAP & CAP	145	1515	5.4
2626660	CARTRIDGE QUICK FIX 3 HOOK POLYESTER DAP & CAP	156	1415	4,56
R080054-000-440	CARTRIDGE QUICK FIX 3 HOOK SMALL STANDARD POLYESTER EARTHED DAP	325	1200	21
2627409E-000-440	CARTRIDGE QUICK FIX 3 HOOK SMALL ULTRA-WEB FR EARTHED DAP	325	660	20.8
2625816	CARTRIDGE QUICK FIX 3 HOOK STANDARD POLYESTER EARTHED DAP & CAP	145	1200	3.9
2625798	CARTRIDGE QUICK FIX 3 HOOK STANDARD POLYESTER EARTHED DAP & CAP	218	1200	5,4
2625786	CARTRIDGE QUICK FIX 3 HOOK STANDARD POLYESTER EARTHED DAP & CAP	325	1200	21
2625778	CARTRIDGE QUICK FIX 3 HOOK STANDARD POLYESTER EARTHED DAP & CAP	325	1000	17.5
2625788	CARTRIDGE QUICK FIX 3 HOOK TORIT-TEX EARTHED DAP & CAP	325	600	10.5
2625792	CARTRIDGE QUICK FIX 3 HOOK TORIT-TEX OD EARTHED DAP & CAP	325	1200	21
R080484-000-440	CARTRIDGE QUICK FIX 3 HOOK ULTRA-WEB DAP & CAP	325	400	12.6
2625648-000-440	CARTRIDGE QUICK FIX 3 HOOK ULTRA-WEB FR EARTHED DAP & CAP	325	660	20,8
2626481	CARTRIDGE QUICK FIX 3 HOOK ULTRA-WEB FR EARTHED KIT WITH YOKE DAP & CAP	324	1200	28,2
2627191-000-440	CARTRIDGE QUICK FIX 3 HOOK ULTRA-WEB SB ANTI-STATIC DAP & CAP	145	1215	5.4
2625733	CARTRIDGE QUICK FIX 3 HOOK ULTRA-WEB SB ANTI-STATIC DAP & CAP	218	600	2.7
2625735	CARTRIDGE QUICK FIX 3 HOOK ULTRA-WEB SB ANTI-STATIC DAP & CAP	218	1000	4.5
2625658	CARTRIDGE QUICK FIX 3 HOOK ULTRA-WEB SB ANTI-STATIC DAP & CAP	325	1000	13.5
2625666	CARTRIDGE QUICK FIX 3 HOOK ULTRA-WEB SB ANTI-STATIC DAP & CAP	325	1200	16,2
2626741-000-440	CARTRIDGE QUICK FIX 3 HOOK ULTRA-WEB SB ANTI-STATIC DAP & CAP	325	1218	25
2627003-000-440	CARTRIDGE QUICK FIX 3 HOOK ULTRA-WEB SB DAP & CAP	325	1018	13
2626983-000-440	CARTRIDGE QUICK FIX 3 HOOK ULTRA-WEB SB DAP & CAP	325	1218	16,2
2626614	CARTRIDGE QUICK FIX 3 HOOK ULTRA-WEB SB EARTHED DAP	325	1000	14.5
2625754	CARTRIDGE QUICK FIX 3 HOOK ULTRA-WEB SB EARTHED DAP & CAP	145	1200	3,9
2625736	CARTRIDGE QUICK FIX 3 HOOK ULTRA-WEB SB EARTHED DAP & CAP	218	1200	5,4
2625734	CARTRIDGE QUICK FIX 3 HOOK ULTRA-WEB SB EARTHED DAP & CAP	218	1000	4,5
2625657	CARTRIDGE QUICK FIX 3 HOOK ULTRA-WEB SB EARTHED DAP & CAP	325	1000	13,5
2625641	CARTRIDGE QUICK FIX 3 HOOK ULTRA-WEB SB EARTHED DAP & CAP	325	600	8,1
2625665	CARTRIDGE QUICK FIX 3 HOOK ULTRA-WEB SB EARTHED DAP & CAP	325	1200	16,2
2627149-000-440	CARTRIDGE QUICK FIX 4 POLYESTER PTFE COATED DAP & CAP	216	2000	7,5


OTHER CARTRIDGES & PANELS



TEKA

Part number	Description	D (mm)	L (mm)	Filter area (m ²)
2627016-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM CELLULOSE FR	325	300	8,5
2627034-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM CELLULOSE FR	325	600	17
2627052-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM CELLULOSE FR	325	1200	30
2627061-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM CELLULOSE FR	325	1200	34
2627070-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM CELLULOSE FR	325	1200	38
2627077-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM CELLULOSE FR	325	1715	36
2627008-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM POLYESTER	325	300	5
R080550-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM POLYESTER	325	600	7.8
R080551-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM POLYESTER	325	600	10
R080552-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM POLYESTER	325	600	12.5
2626984-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM POLYESTER	325	1715	28
2627071-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM POLYESTER	325	1715	29
2627009-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM POLYESTER ANTI-STATIC	325	300	5
R080553-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM POLYESTER ANTI-STATIC	325	600	7.8
R080554-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM POLYESTER ANTI-STATIC	325	600	10
R080555-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM POLYESTER ANTI-STATIC	325	600	12.5
2627072-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM POLYESTER ANTI-STATIC	325	1715	29
2627013-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM POLYESTER ANTI-STATIC WITH PTFE	325	300	5
2627074-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM POLYESTER ANTI-STATIC WITH PTFE	325	1715	29
2627012-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM POLYESTER WITH PTFE	325	300	5
2627073-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM POLYESTER WITH PTFE	325	1715	29
R080556-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM TORIT-TEX	325	600	7.8
R080557-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM TORIT-TEX	325	600	10
R080558-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM TORIT-TEX	325	600	12.5
R080559-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM TORIT-TEX ANTI-STATIC	325	600	7.8
R080560-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM TORIT-TEX ANTI-STATIC	325	600	10
R080561-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM TORIT-TEX ANTI-STATIC	325	600	12.5
2627010-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM ULTRA-WEB SB	325	300	5
R080562-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM ULTRA-WEB SB	325	600	7.8
R080563-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM ULTRA-WEB SB	325	600	10
R080564-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM ULTRA-WEB SB	325	600	12.5
2627064-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM ULTRA-WEB SB	325	1200	25.3
2627011-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM ULTRA-WEB SB ANTI-STATIC	325	300	5
R080565-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM ULTRA-WEB SB ANTI-STATIC	325	600	7.8
R080566-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM ULTRA-WEB SB ANTI-STATIC	325	600	10
R080567-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM ULTRA-WEB SB ANTI-STATIC	325	600	12.5
2625782	CARTRIDGE CLOSED WITH HOLE 13.5 MM STANDARD POLYESTER EARTHED	324	1200	21
R080580-000-440	CARTRIDGE CLOSED WITH HOLE 13.5 MM ULTRA-WEB FR EARTHED GLUED	325	1200	29

OTHER CARTRIDGES & PANELS



RD 60/72/100

Part number	Description	D (mm)	L (mm)	Filter area (m ²)
R080342-000-440	CARTRIDGE RD 60 POLYESTER THREADED SPECIAL END CAP	115	300	0,48
R080371-000-440	CARTRIDGE RD 60 POLYESTER THREADED SPECIAL END CAP	115	400	0,64
R080375-000-440	CARTRIDGE RD 60 POLYESTER THREADED SPECIAL END CAP	115	600	0,96
R080339-000-440	CARTRIDGE RD 60 POLYESTER ANTI-STATIC THREADED SPECIAL END CAP	115	200	0,32
R080368-000-440	CARTRIDGE RD 60 POLYESTER ANTI-STATIC THREADED SPECIAL END CAP	115	300	0,48
R080372-000-440	CARTRIDGE RD 60 POLYESTER ANTI-STATIC THREADED SPECIAL END CAP	115	400	0,64
R080376-000-440	CARTRIDGE RD 60 POLYESTER ANTI-STATIC THREADED SPECIAL END CAP	115	600	0,96
R080338-000-440	CARTRIDGE RD 60 POLYESTER THREADED SPECIAL END CAP	115	200	0,32
R080341-000-440	CARTRIDGE RD 60 ULTRA-WEB SB ANTI-STATIC THREADED SPECIAL END CAP	115	200	0,32
R080370-000-440	CARTRIDGE RD 60 ULTRA-WEB SB ANTI-STATIC THREADED SPECIAL END CAP	115	300	0,48
R080374-000-440	CARTRIDGE RD 60 ULTRA-WEB SB ANTI-STATIC THREADED SPECIAL END CAP	115	400	0,64
R080378-000-440	CARTRIDGE RD 60 ULTRA-WEB SB ANTI-STATIC THREADED SPECIAL END CAP	115	600	0,96
R080340-000-440	CARTRIDGE RD 60 ULTRA-WEB SB THREADED SPECIAL END CAP	115	200	0,32
R080369-000-440	CARTRIDGE RD 60 ULTRA-WEB SB THREADED SPECIAL END CAP	115	300	0,48
R080373-000-440	CARTRIDGE RD 60 ULTRA-WEB SB THREADED SPECIAL END CAP	115	400	0,64
R080377-000-440	CARTRIDGE RD 60 ULTRA-WEB SB THREADED SPECIAL END CAP	115	600	0,96
R080123-000-440	CARTRIDGE RD 72 POLYESTER ANTI-STATIC THREADED SPECIAL END CAP	120	200	0,35
R080127-000-440	CARTRIDGE RD 72 POLYESTER ANTI-STATIC THREADED SPECIAL END CAP	120	300	0,52
R080131-000-440	CARTRIDGE RD 72 POLYESTER ANTI-STATIC THREADED SPECIAL END CAP	120	600	1,05
R080122-000-440	CARTRIDGE RD 72 STANDARD POLYESTER THREADED SPECIAL END CAP	120	200	0,35
R080126-000-440	CARTRIDGE RD 72 STANDARD POLYESTER THREADED SPECIAL END CAP	120	300	0,52
R080130-000-440	CARTRIDGE RD 72 STANDARD POLYESTER THREADED SPECIAL END CAP	120	600	1,05
R080125-000-440	CARTRIDGE RD 72 ULTRA-WEB SB ANTI-STATIC THREADED SPECIAL END CAP	120	200	0,35
R080129-000-440	CARTRIDGE RD 72 ULTRA-WEB SB ANTI-STATIC THREADED SPECIAL END CAP	120	300	0,52
R080133-000-440	CARTRIDGE RD 72 ULTRA-WEB SB ANTI-STATIC THREADED SPECIAL END CAP	120	600	1,05
R080124-000-440	CARTRIDGE RD 72 ULTRA-WEB SB THREADED SPECIAL END CAP	120	200	0,35
R080128-000-440	CARTRIDGE RD 72 ULTRA-WEB SB THREADED SPECIAL END CAP	120	300	0,52
R080132-000-440	CARTRIDGE RD 72 ULTRA-WEB SB THREADED SPECIAL END CAP	120	600	1,05
R080063-000-440	CARTRIDGE RD 72 ULTRA-WEB SB THREADED SPECIAL END CAP	120	660	1,2
R080424-000-440	CARTRIDGE RD 100 POLYESTER ANTI-STATIC THREADED SPECIAL END CAP	162	600	1,62
R080423-000-440	CARTRIDGE RD 100 POLYESTER THREADED SPECIAL END CAP	162	600	1,62
R080426-000-440	CARTRIDGE RD 100 ULTRA-WEB SB ANTI-STATIC THREADED SPECIAL END CAP	162	600	1,62
R080425-000-440	CARTRIDGE RD 100 ULTRA-WEB SB THREADED SPECIAL END CAP	162	600	1,62


OTHER CARTRIDGES & PANELS



Other Brands

	Part number	Description	D (mm)	L (mm)	Filter area (m ²)
OPEN / OPEN	2626310-000-440	CARTRIDGE OPEN/OPEN ULTRA-WEB FR	201	406	5
	2625024E-000-440	CARTRIDGE OPEN/OPEN ULTRA-WEB EARTHED NO GASKET	324	300	10.4
	2625127-000-440	CARTRIDGE OPEN/OPEN ULTRA-WEB EARTHED	324	330	10,4
	2625944-000-440	CARTRIDGE OPEN/OPEN ULTRA-WEB FR EARTHED	324	400	9,64
	2626990-000-440	CARTRIDGE OPEN/OPEN ULTRA-WEB ANTI-STATIC FR	324	600	14,5
	2625940-000-440	CARTRIDGE OPEN/OPEN ULTRA-WEB FR EARTHED	324	600	14,5
	R080119-000-440	CARTRIDGE OPEN/OPEN POLYESTER ANTI-STATIC	325	600	10
	2627282E-000-440	CARTRIDGE OPEN/OPEN ULTRA-WEB FR EARTHED	352	585	21,5
	2625550-000-440	CARTRIDGE OVAL ULTRA-WEB FR	289 X 365	560	14,7
OPEN / CLOSED	2626690	CARTRIDGE OPEN/CLOSED ULTRA-WEB SB TWIST & LOCK	143	540	0.85
	2626366	CARTRIDGE OPEN/CLOSED POLYESTER WITH 2 BOLTS	143	760	1,39
	2626367	CARTRIDGE OPEN/CLOSED POLYESTER WITH 2 BOLTS	143	910	1,66
	2627090-000-440	CARTRIDGE OPEN/CLOSED ULTRA-WEB FR EARTHED	324	600	14,52
	R080300-000-440	CARTRIDGE OPEN/CLOSED POLYESTER ANTI-STATIC CAP	325	1500	21
	2626523	CARTRIDGE OPEN/CLOSED POLYESTER ANTI-STATIC THREADED SPECIAL END CAP CONICAL	120 X 80	1010	1.6
	2626522	CARTRIDGE OPEN/CLOSED POLYESTER THREADED SPECIAL END CAP CONICAL	120 X 80	1010	1.6
	2627296-000-440	CARTRIDGE OPEN/CLOSED POLYESTER ANTI-STATIC WITH PTFE FOOD THREADED SPECIAL END CAP CONICAL SS	120 X 85	600	1
	2626731-000-440	CARTRIDGE OPEN/CLOSED POLYESTER CONICAL	180 X 110	993	3.5
OPEN / CLOSED WITH HOLE	2626267-000-440	CARTRIDGE CLOSED WITH HOLE 13.5 MM ULTRA-WEB FR	200	600	9
	2627005-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM 80/20 BLENDED	324	600	13
	2625757	CARTRIDGE CLOSED WITH HOLE 13 MM CELLULEX FR EARTHED	324	600	14,52
	2627004-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM STANDARD POLYESTER	324	600	10
	2626991-000-440	CARTRIDGE CLOSED WITH HOLE 13.5 MM ULTRA-WEB ANTI-STATIC FR	324	600	14.5
	2625621	CARTRIDGE CLOSED WITH HOLE 13.5 MM ULTRA-WEB FR EARTHED	324	600	14,52
	2625637	CARTRIDGE CLOSED WITH HOLE 13.5 MM ULTRA-WEB SB EARTHED	324	600	8,1
	2625638	CARTRIDGE CLOSED WITH HOLE 13.5 MM ULTRA-WEB SB ANTI-STATIC	324	600	8,1
	2625765	CARTRIDGE CLOSED WITH HOLE 13.5 MM CELLULEX FR EARTHED	324	660	15,97
	2625646	CARTRIDGE CLOSED WITH HOLE 13.5 MM ULTRA-WEB SB ANTI-STATIC EARTHED	324	660	8,91
	2625644	CARTRIDGE CLOSED WITH HOLE 13.5 MM ULTRA-WEB FR EARTHED	324	660	16
	2625652-000-440	CARTRIDGE CLOSED WITH HOLE 13.5 MM ULTRA-WEB FR GLUED EARTHED	324	1000	31,4
	2625653	CARTRIDGE CLOSED WITH HOLE 13.5 MM ULTRA-WEB SB EARTHED	324	1000	13,5
	2625654	CARTRIDGE CLOSED WITH HOLE 13.5 MM ULTRA-WEB SB ANTI-STATIC	324	1000	13,5
	2625774	CARTRIDGE CLOSED WITH HOLE 13.5 MM STANDARD POLYESTER EARTHED	324	1000	17,5
	2625939-000-440	CARTRIDGE CLOSED WITH HOLE 13.5 MM ULTRA-WEB FR EARTHED GLUED	324	1200	29
	2626227-000-440	CARTRIDGE CLOSED WITH HOLE 13.5 MM ULTRA-WEB FR GLUED NO OUTER LINER EARTHED	324	1200	29
	2625660-000-440	CARTRIDGE CLOSED WITH HOLE 13.5 MM ULTRA-WEB FR EARTHED GLUED	324	1200	38,6
	2626909-000-440	CARTRIDGE CLOSED WITH HOLE 13 MM ULTRA-WEB	325	620	15
	2626477-000-440	CARTRIDGE CLOSED WITH HOLE 13.5 MM ULTRA-WEB FR EARTHED	327	750	23
	2626309-000-440	CARTRIDGE CLOSED WITH HOLE 16 MM ULTRA-WEB FR	352	660	23,9
2627395-000-440	CARTRIDGE OVAL ULTRA-WEB FR BOTTOM ENDCAP CLOSED WITH HOLE EARTHED	289 X 365	660	17,7	

OIL MIST FILTERS



DMC

DMC-D1	Description	L (mm)	W (mm)	D (mm)	Partnumber
1st STAGE	DMC 1ST STAGE WIRE MESH PANEL	654	692	51	P030594-016-002
1st STAGE	DMC 1ST STAGE POLYPROPYLENE PANEL	654	691	44	3508602
1st STAGE	THIN SCREEN DMC-B FIRST STAGE FILTER				3475402
3rd STAGE CARTRIDGE & 2nd STAGE WRAP	CARTRIDGE DRYFLO DMC-D FIBERGLASS WITH WRAP	635		570	2625045
2nd STAGE WRAP ONLY	ADVANCED DRYFLO POLYESTER WRAP ONLY	641	1880		P031098-016-210
3rd STAGE CARTRIDGE	WSO 25 SMOKE CARTRIDGE 636 MM H	603	464		P031728-016-340
HEPA	HEPA PANEL	610	610	929	P030625-016-190

DMC D2-D10

1st STAGE	DMC 1ST STAGE THIN SCREEN WELD	654	768	51	3475403
1st STAGE	DMC-D 1ST STAGE WIRE MESH PANEL	654	768	51	P030595-016-002
1st STAGE	DMC 1ST STAGE POLYPROPYLENE PANEL	654	768	51	3736702
3rd STAGE CARTRIDGE & 2nd STAGE WRAP	CARTRIDGE DRYFLO DMC-D FIBERGLASS WITH WRAP	635		570	2625045
2nd STAGE WRAP ONLY	ADVANCED DRYFLO POLYESTER WRAP ONLY	641	1880		P031098-016-210
3rd STAGE CARTRIDGE	WSO 25 SMOKE CARTRIDGE 636 MM H	603	464		P031728-016-340
HEPA	HEPA PANEL	610	610	292	P030625-016-190

DMC-C

1st STAGE	DMC 1ST STAGE WIRE MESH PANEL	654	692	51	P030594-016-002
1st STAGE	DMC 1ST STAGE POLYPROPYLENE PANEL	654	692	44	3508602
1st STAGE	THIN SCREEN DMC-B FIRST STAGE FILTER				3475402
3rd STAGE CARTRIDGE & 2nd STAGE WRAP	CARTRIDGE DRYFLO MMC FIBERGLASS WITH WRAP	508		481	P776934-016-425
2nd STAGE WRAP ONLY	DMC DRYFLO POLYESTER WRAP ONLY	514	1600		P031097-016-210
HEPA	HEPA PANEL	610	610	292	P030625-016-190

DMC-MMA

1st STAGE	DMC 1ST STAGE WIRE MESH PANEL	406	305	48	P030607-016-002
1st STAGE	PREFILTER DMC-MMA POLYPROPYLENE NO SEAL	406	305	48	2622466
1st STAGE	DMC 1ST STAGE THIN SCREEN WELD	406	305	48	3970200
3rd STAGE CARTRIDGE & 2nd STAGE WRAP	CARTRIDGE DRYFLO MMA FIBERGLASS WITH WRAP	206		276	2622471
2nd STAGE WRAP ONLY	DMC-MMA DRYFLO POLYESTER WRAP ONLY	203		921	P031095-016-210
HEPA	DMC-MMA HEPA PANEL	406	305	121	P191157-016-340

OIL MIST FILTERS



DMC-MMB	Description	L (mm)	W (mm)	D (mm)	Partnumber
1st STAGE	DMC 1ST STAGE WIRE MESH PANEL	483	530	48	P030611-016-002
1st STAGE	PREFILTER DMC-MMB POLYPROPYLENE NO SEAL	483	530	48	2634287
1st STAGE	DMC 1ST STAGE THIN SCREEN WELD	483	530	48	5416100
3rd STAGE CARTRIDGE & 2nd STAGE WRAP	CARTRIDGE DRYFLO MMB FIBERGLASS WITH WRAP	305		417	2625083
2nd STAGE WRAP ONLY	DMC-MMB DRYFLO POLYESTER WRAP ONLY	311	1397		P031096-016-210
HEPA	DMC-MMB HEPA PANEL	528	452	121	P191406-016-340

DMC-MMC

1st STAGE	MC 1000-6000 1ST STAGE WIRE MESH PANEL	597	597	48	P030593-016-002
1st STAGE	MC 1000-6000 1ST STAGE POLYPROPYLENE PANEL	597	597	48	4232900
3rd STAGE CARTRIDGE & 2nd STAGE WRAP	CARTRIDGE DRYFLO MMC FIBERGLASS WITH WRAP	508		481	P776934-016-425
2nd STAGE WRAP ONLY	DMC DRYFLO POLYESTER WRAP ONLY	514	1600		P031097-016-210
3rd STAGE CARTRIDGE	CARTRIDGE WSO 20 SMOKE SYNTEQ H 509 MM	502	362		P786781-016-190

DMC-MINI MMA

1st STAGE	DMC 1ST STAGE WIRE MESH PANEL	406	305	48	P030607-016-002
1st STAGE	PREFILTER DMC-MMA POLYPROPYLENE NO SEAL	406	305	48	2622466
1st STAGE	DMC 1ST STAGE THIN SCREEN WELD	406	305	48	3970200
3rd STAGE CARTRIDGE & 2nd STAGE WRAP	CARTRIDGE DRYFLO M-MMA FIBERGLASS WITH WRAP	206		276	2625138
2nd STAGE WRAP ONLY	DMC-MMA DRYFLO POLYESTER WRAP ONLY	203		921	P031095-016-210



WSO

WSO 15	Description	L (mm)	W (mm)	D (mm)	Partnumber
1st STAGE FILTER - HIGH EFFICIENCY	WSO 15 1ST STAGE HIGH EFFICIENCY PANEL	562	506	48	P031772-016-002
PRIMARY FILTER WATER	WSO 15 WATER SOLUBLE CARTRIDGE H 381 MM	502	362		P031594-016-340
PRIMARY FILTER SMOKE	CARTRIDGE WSO 15 SMOKE SYNTEQ XP H 382 MM	502	362		P786780-016-190
PRIMARY FILTER OIL	CARTRIDGE WSO 15 OIL SYNTEQ XP H 381 MM	502	362		P031656-016-340

WSO 20

1st STAGE FILTER - HIGH EFFICIENCY	WSO 20 1ST STAGE HIGH EFFICIENCY PANEL	610	610	48	P031773-016-002
PRIMARY FILTER WATER	WSO 20 WATER SOLUBLE CARTRIDGE H 509 MM	502	362		P031595-016-340
PRIMARY FILTER SMOKE	CARTRIDGE WSO 20 SMOKE SYNTEQ XP H 509 MM	502	362		P786781-016-190
PRIMARY FILTER OIL	CARTRIDGE WSO 20 OIL SYNTEQ XP H 509 MM	502	362		P031657-016-340

OIL MIST FILTERS



WSO 25	Description	L (mm)	W (mm)	D (mm)	Partnumber
1st STAGE FILTER	WSO 25 1ST STAGE SCREEN PANEL	691	654		P031774-016-002
1st STAGE FILTER	WSO 25 1ST STAGE WIRE MESH PANEL	692	654	48	P031775-016-002
1st STAGE FILTER	WSO 25 1ST STAGE POLYPROPYLENE PANEL	692	654	48	P031776-016-002
1st STAGE FILTER - HIGH EFFICIENCY	WSO 25 1ST STAGE HIGH EFFICIENCY PANEL	692	654	51	P031520-016-002
PRIMARY FILTER WATER	WSO 25 WATER SOLUBLE CARTRIDGE H 636 MM	603	464		P031596-016-340
PRIMARY FILTER SMOKE	WSO 25 SMOKE CARTRIDGE H 636 MM	603	464		P031728-016-340
PRIMARY FILTER OIL	CARTRIDGE WSO 25 OIL SYNTEQ XP H 636 MM	603	464		P031658-016-340

WSO Flex MMA

1st STAGE FILTER	DMC 1ST STAGE WIRE MESH PANEL	406	305	48	P030607-016-002
1st STAGE FILTER	PREFILTER DMC-MMA POLYPROPYLENE NO SEAL	406	305	48	2622466
Cartridge + wrap	CARTRIDGE DRYFLO MMA FIBERGLASS WITH WRAP	206		276	2622471
Wrap only	DMC-MMA DRYFLO POLYESTER WRAP ONLY	203		921	P0301095-016-210
PRIMARY FILTER OIL	WSO 10 STRAIGHT OIL CARTRIDGE H 254 MM	387	241		P031655-016-340
HEPA	FINAL FILTER HEPA H13 WSO FLEX MMA T 120 MM	440	400		8PPAM0323000


WSO Flex MMB

1st STAGE FILTER	DMC 1ST STAGE WIRE MESH PANEL	483	530	48	P030611-016-002
1st STAGE FILTER	PREFILTER DMC-MMB POLYPROPYLENE NO SEAL	483	530	48	2634287
Cartridge + wrap	CARTRIDGE DRYFLO MMB FIBERGLASS WITH WRAP	305		417	2625083
Wrap only	DMC-MMB DRYFLO POLYESTER WRAP ONLY	311	1397		P031096-016-210
PRIMARY FILTER SMOKE	CARTRIDGE WSO 15 SMOKE SYNTEQ H 382 MM	502	362		P786780-016-190
HEPA	FINAL FILTER HEPA WSO FLEX MMB T 140MM	500	350		8PPAM0367100

BAG MEDIA SELECTOR



The operating temperature is $\leq 100^{\circ}\text{C}$



Different specialized medias are available for higher temperatures or when you need resistance to hydrolysis or specific chemical resistance. Our media specialists help you to select the most suited media for your application and dust specifications. Comment: Tetratex® media using an ePTFE membrane layer should be used with care when oil is free present in your dust as this might clog the media.

Disclaimer : This media selector indicates the recommended media, however, specific applications and environmental conditions might require a different media selection. Additionally in order to comply with ATEX directive it can be required to use a different media than mentioned in the chart. Please consult your explosion protection document to make sure the selected media has the correct properties for your safety plan.



Bags

Top End Cap design: Felt Cuff

Bottom End Cap design: Flat Sewn

Width: 495mm

Length	708 mm	0.7M	1006 mm	1.0M	1256 mm	1.25M	1506 mm	1.5M
Dura-Life	1A31392316	440	1A31392317	440	1A31392318	440	1A31392319	440
Dura-Life Anti-Static	1A31392322	440	1A31392323	440	1A31392324	440	1A31392325	440
Dura-Life Oleophobic	1A31392328	440	1A31392329	440	1A31392330	440	1A31392331	440
Dura-Life Oleophobic Anti-Static	1A31392334	440	1A31392335	440	1A31392336	440	1A31392337	440
Tetratex	1A31392278	440	1A31392279	440	1A31392280	440	1A31392281	440
Tetratex Anti-Static	1A31392290	440	1A31392291	440	1A31392292	440	1A31392293	440
Tetratex Contact	2626465		2626466		2626467		2626468	
Tetratex Contact Anti-Static	2626471		2626472		2626473		2626474	
Tetratex Aramid 8242	*		*		*		2625594	
Polyester Eu Food	2626505		2626506		2626507		2626508	
Polyester Oleophobic Eu Food	2626665		2626666		*		*	
Polyester Oleophobic Anti-Static Eu Food	2626511		2626512		2626513		2626514	
Polyester	1A31392037A		1A31392021A		1A31392068A		1A21392250A	
Polyester Anti-Static	1A31392024A		1A31392008A		1A31392055A		1A31392040A	
Polyester Oleophobic	1A31392031A		1A31392015A		1A31392062A		1A31392047A	
Polyester Oleophobic Antistatic	1A31392032A		1A31392016A		1A31392063A		1A31392048A	
Polypropylene	1A31392026A		1A31392010A		1A31392057A		1A31392042A	
Polypropylene Anti-Static	1A31392034A		1A31392018A		1A31392065A		1A31392050A	
Aramid	1A31392030A		1A31392014A		1A31392061A		1A31392046A	
Aramid Anti-Static	1A31392131		1A31392132		1A31392133		1A31392171	
Dralon Homopolymer Acrylic	1A31392022A		1A31392000A		*		1A31392038A	
Dralon Anti-Static	*		1A31392007		*		1A31392039	
P84 (Polymide)	1A31392241		1A31392241		1A31392243		1A31392244	

Unit model: (qty of bags per unit):

- **708 - 0.7M:** DLMV 3/7 (4), DLMV 4/7 (6), DLMV 7/7 (10), DLMV 8/7 (12), DLMV 14/7 (20), DLMV 21/7 (30), DCE HV F504 (6), DCE HV F508 (12), DCE HV F514 (20), DU7 (10), DU14 (20)
- **1006 - 1.0M:** DLMV 6/10 (6), DLMV 10/10 (10), DLMV 12/10 (12), DLMV20/10 (20), DLMV 30/10 (30), DLMC 10 - Cased, DCE F2012 (12), DCE HV F506 (6), DCE HV F510 (10), DCE HV F520 (20), DCE HV F530 (30), DU10 (10), DU20 (20), Spotair SA-F20 (2), Spotair SA-F40 (4)
- **1256 - 1.25M:** DLMV 5/12 (4), DLMV 7.5/12 (6), DLMV 13/12 (10), DLMV 15/12 (12), DLMV 25/12 (20), DLMV 38/12 (30), DLMV 50/12 (40), DCE HV F538 (30), Spotair SA-F25 (2), Spotair SA-F50 (4)
- **1506 - 1.5M:** DLMV 9/15 (6), DLMV 15/15 (10), DLMV 18/15 (12), DLMV 30/15 (20), DLMV 45/15 (30), DLMV 60/15 (40), DLMC 15 - Cased, DCE F2018 (12), DCE F2024 (16), DCE F2030 (20), DCE F2036 (24), DCE F2045 (30), Concept D60 (40), Concept D90 (60), Concept D120 (80), Concept D135 (90), Concept D150 (100), Concept D180 (120), Concept D225 (150), DCE HV F545 (30), DU30 (20) & DU45 (30)



Bags

UMA 450 & 750 units have 2 bags


* available on request

	Qty of pockets	Dura-Life	Dura-Life Anti-Static	Dura-Life Oleophobic	Dura-Life Oleophobic Anti-Static	Tetratex	Tetratex Anti-Static
UMA 40	9	1A21392414 440	1A21392009 440	1A21392509 440	1A21392589 440	1A21397231 440	1A21397238 440
UMA 70	12	1A21392370 440	1A21392076 440	1A21392518 440	1A21392591 440	1A21397232 440	1A21397239 440
UMA 100	18	1A21392371 440	1A21392028 440	1A21392520 440	1A21392593 440	1A21397233 440	1A21397240 440
UMA 150	18	1A21392372 440	1A21392043 440	1A21392522 440	1A21392595 440	1A21397234 440	1A21397241 440
UMA 250	29	1A21392373 440	1A21392059 440	1A21392524 440	1A21392597 440	1A21397235 440	1A21397242 440
UMA 450	36	1A21392374 440	1A21392096 440	1A21392528 440	1A21392601 440	1A21397236 440	1A21397243 440
UMA 750	48	1A21399013 440	1A21399014 440	1A21392530 440	1A21392603 440	*	1A21397244 440




Eccentric/Conn Rod Kit Pack

Unit	Description
UMA 40	1A21817139
UMA 70	1A21817139
UMA 100	1A21817139
UMA 150	1A21817140-000-440
UMA 250	1A21817140-000-440
UMA 450 (2x)	1A21817140-000-440
UMA 750 (2x)	1A21817141



Shaker Bar

Unit	Description
UMA 40	1A21819009B-000-440
UMA 70	1A21819002B-000-440
UMA 100	1A21819000B-000-440
UMA 150	1A21819000B-000-440
UMA 250	1A21819001B-000-440
UMA 450 (2x)	1A21819010B-000-440
UMA 750 (2x)	1A21819057B-000-440




Mattress Insert

Unit	Qty	Description
UMA 40	9	1A21319007 440
UMA 70	12	1A21319005 440
UMA 100	18	1A21319005 440
UMA 150	18	1A21319006 440
UMA 250	29	1A21319006 440
UMA 450	36	1A21319008 440
UMA 750	48	1A21319010 440



Bag Edging Polypropylene

Unit	Qty	Description
UMA 40	9	1A21392263-000-440
UMA 70	12	1A21392261-000-440
UMA 100	18	1A21392261-000-440
UMA 150	18	1A21392264-000-440
UMA 250	29	1A21392264-000-440
UMA 450	36	1A21392266-000-440
UMA 750	48	1A21392403-000-440



Top Frame Assembly

Unit	Description
UMA 40	1A21310008
UMA 70	1A21319002B
UMA 100	1A21319004B
UMA 150	1A21319000B
UMA 250	1A21319001B
UMA 450 (2x)	1A21319003B
UMA 750 (2x)	1A21319011B



Gasket Mattress Frame Sponge Rubber

Unit	Description
UMA 40	1A21192029-000-440
UMA 70	1A21192056-000-440
UMA 100	1A21192055-000-440
UMA 150	1A21192054
UMA 250	1A21192077-000-440
UMA 450 (2x)	1A21192063-000-440
UMA 750 (2x)	1A21192100



Valves



1A31899011

DIAPHRAGM VALVE 25 MM (1"), 2 WAY



2629397-000-440

DIAPHRAGM VALVE 1" REMOTE CONTROL



2620139-000-440

DIAPHRAGM VALVE 25 MM (1") THREADED CONNECTION INTEGRATED SOLENOID REMOTE PILOT



1A25653103-000-440

DIAPHRAGM VALVE 38 MM (1 1/2") DOUBLE DIAPHRAGM



AD1000698-000-440

DIAPHRAGM VALVE KIT 25 MM (1") REMOTE PILOT CONTAINS QUICK MOUNT CONNECTION



3EAAD1388800-000-440

DIAPHRAGM VALVE 25 MM (1")



1A25653204-000-440

REPAIR KIT FOR 25 MM (1") DIAPHRAGM VALVE CONTAINS MEMBRANE WITH 4 HOLES AND SPRING



2620013-000-440

REPAIR KIT FOR 19MM (3/4") DIAPHRAGM VALVE CONTAINS MEMBRANE WITH 5 HOLES AND SPRING



1A25653201-000-440

REPAIR KIT FOR 25 MM (1") DIAPHRAGM VALVE CONTAINS MEMBRANE WITH 4 HOLES AND SPRING



AD1000003-000-440

REPAIR KIT FOR 19MM (3/4") DIAPHRAGM VALVE CONTAINS MEMBRANE WITH 5 HOLES AND SPRING



2620087-000-440

REPAIR KIT FOR 25 MM (1") DIAPHRAGM VALVE



1A25653203-000-440

VALVE REPAIR KIT FOR 38 MM (1 1/2") DIAPHRAGM VALVE CONTAINS 2 ROUND MEMBRANES AND SPRING



2620011

SOLENOID VALVE 3 MM (1/8") 24 V



1A25653205-000-440

REPAIR KIT FOR 19 MM (3/4") DIAPHRAGM VALVE CONTAINS MEMBRANE WITH 5 HOLES AND SPRING



AD1000843-000-440

REPAIR KIT FOR 25 MM (1") DIAPHRAGM VALVE CONTAINS PISTON O-RINGS



2620097-000-440

REPAIR KIT FOR 25 MM (1") DIAPHRAGM VALVE WITH THREADED PIPE CONNECTION AND REMOTE PILOT CONTAINS MEMBRANE WITH 4 HOLES



AD1000227-000-440

SOLENOID VALVE 24 V



Magnehelic Gauge Kit

MAGNEHELIC GAUGE KIT GAUGE FITTINGS

2649470



Sealer Gear

SEALER GEAR WITH 4 SPRINGS STANDARD SEAL UNICELL, DCE 2000, DLMV, UMA 100, UMA 750	1A21412046A-000-440
SEALER GEAR WITH 4 SPRINGS STANDARD SEAL DLMD, DFO, UMA 70	1A21412009 440
SEALER GEAR ASSY 4 SPRING WITH SILICONE SEAL	1A21412042A



Sealer Gear Canvas Sleeve

SEALER GEAR CANVAS SLEEVE OD 524 MM X W 85 MM UMA, UNICELL	1A21492025A-000-440
SEALER GEAR CANVAS SLEEVE OD 391 MM X W 85 MM UMA	1A21492002A-000-440



Dust Bin

DUST BIN L 38 ID 420.5 MM X H 330 MM DFO SMALL	1A52411000
DUST BIN L 56 ID 413 MM X H 400 MM UMA 72	1A21411020
DUST BIN L 85 ID 413 MM X H 629 MM UMA	1A21411019
DUST BIN L 85 ID 546 MM H 380 MM C 32	1A63411001
DUST BIN L 85 ID 546 MM X H 380 MM STATIC EARTHING UNICELL	1A63411010
DUST BIN L 85 ID 546 MM X H 380 MM BIN BALANCE STATIC EARTHING UNICELL	1A63411011A
DUST BIN L 110 ID 546 MM X H 500 MM STRAIGHT SIDED	1A21411040A
DUST BIN L 110 ID 546 MM X H 500 MM STRAIGHT SIDED BIN BALANCE	1A21411046A
DUST BIN L 110 ID (413 X 546) MM X H 629 MM UMA	1A21411014
110 LTR BINBAL ASY-STR STATIC EARTHING	1A21411078C
DUST BIN STEEL L 200 ID 550 MM X H 870 MM FOR ROTARY VALVE DN200	262243704



Dust Disposal Bag

DUST DISPOSAL BAG LDPE W 483 MM X L 1800 MM BAG-IN BAG-OUT DF, DFO, DFT	2622217-000-440
DUST DISPOSAL BAG LDPE W 500 MM X L 1000 MM DF 100-PACK	2622580-000-440 *
DUST DISPOSAL BAG LDPE W 750 MM X L 1000 MM DFPRO 3, DFPRO 4 50-PACK	AD1000279-000-440
DUST DISPOSAL BAG LDPE W 900 MM X L 1200 MM UMA 50-PACK	1A59955138-000-440 **
DUST DISPOSAL BAG LDPE W 615 MM X L 1220 MM - for DFO Small use AM0999601-000-440	1A59955133
DUST DISPOSAL BAG LDPE W 1390 MM X L 1090MM X 500 G	1A599551450-000-440 ^

Legend:

- most popular dust disposal bag for Cartridge dust collectors *
- most popular dust disposal bag for Bag dust collectors **
- most popular dust disposal bag for dust collectors unit model HV ^

Gaskets



1A18165481-000-440
GASKET NATURAL RUBBER
SPONGE 25 MM X 8 MM 12-M PACK



1A18165223-000-440
GASKET CLOSED-CELL NEOPRENE
RUBBER 12.5 MM X 25 MM 7-M PACK



AD1001167-000-440
OUTER GASKET FOR DFO COVERS
4-PACK



3179800-000-440
GASKET ACCESS COVER EPDM 15 MM X
18 MM 4-PACK




1A18165221-000-440
GASKET CLOSED-CELL NEOPRENE
RUBBER 20 MM X 12.5 MM 7-M PACK



1A18166684-000-440
GASKET CLOSED-CELL SILICONE
RUBBER 12.5 MM X 25 MM 8.3-M PACK




AD1000930-000-440
GASKET HOLLOW
EPDM 24 MM X 22 MM
12.5-M PACK



2622569X-000-440
GASKET PRIK 5004 EPDM
SHEET THICKNESS 1 MM TO
3.5 MM 10 M-PACK



2622595-000-440
GASKET PRIK 3003
EPDM SHEET THICK 10
M-PACK



2622065
GASKET PORTHOLE
COVER OD 280 MM X ID
260 MM XT 10 MM DF



07011636-000-440
GASKET CLOSED-CELL EPDM 5 MM
X 10 MM 10-M PACK



PCB (Printed Circuit Board)

PCB (PRINTED CIRCUIT BOARD)

C100 STD/3D	3EAAM0135601	C100 COVER PCB C100 6 VALVES
	3EAAM0135602	C100 COVER PCB C100 12 VALVES
C200 STD/3D	3EAAM0135801	C200 COVER PCB C200 6 VALVES
	3EAAM0135802	C200 COVER PCB C200 12 VALVES
C300 STD/3D	3EAAM0135901	C300 COVER PCB C300 6 VALVES
	3EAAM0135902	C300 COVER PCB C300 12 VALVES

SOLENOID

C- SOLENOID	8PPAM0137801	PILOT VALVE STD/ATEC 3D
-------------	--------------	-------------------------



Inline Micrafilter

FILTER FOR CONTROLLERS 1A25844841-000-440 INLINE MICRAFILTER DISPOSABLE 4-PACK



Air Filter Regulator

1/2 INCH COMPRESSED AIR FILTER REGULATOR

AM1242401-KIT	FULL KIT - 1/2 INCH CONNECTIONS (DONALDSON COMPRESSED AIR FILTER + PRESSURE REGULATOR + CONNECTION NIPPLE + GREASE)
AM0983801-KIT	DONALDSON COMPRESSED AIR FILTER - 1/2 INCH CONNECTIONS (FILTER ELEMENT + FILTER HOUSING + GREASE)
AM1336300-KIT	DONALDSON COMPRESSED AIR FILTER ELEMENT - 1/2 INCH CONNECTIONS (FILTER ELEMENT + GREASE)
AM1310801-000-440	PRESSURE REGULATOR - 1/2 INCH CONNECTIONS

1 INCH COMPRESSED AIR FILTER REGULATOR


AM1335901-KIT	FULL KIT - 1 INCH CONNECTIONS (DONALDSON COMPRESSED AIR FILTER + PRESSURE REGULATOR + CONNECTION NIPPLE + GREASE)
AM1335501-KIT	DONALDSON COMPRESSED AIR FILTER - 1 INCH CONNECTIONS (FILTER ELEMENT + FILTER HOUSING + GREASE)
AM1336400-KIT	DONALDSON COMPRESSED AIR FILTER ELEMENT - 1 INCH CONNECTIONS (FILTER ELEMENT + GREASE)
AM1337901-000-440	PRESSURE REGULATOR - 1 INCH CONNECTIONS



Shop for Donaldson replacement filters and parts 24/7 on your computer, phone or tablet. We've made it easy to do quick searches, order line and manage your account. Interested or questions? Contact your Donaldson Sales Representative or start exploring yourself!

I KNOW THE PARTNUMBER OR COMPETITOR NAME

Search for a product by part number, cross reference, equipment or description by entering it in one of the search bars for easy ordering.



I WANT A SPECIFIC MEDIA / SIZE / TYPE RANGE

Click on Attribute Search tab to find all available options on our range by selecting: Industrial Dust, Fume & Mist, Select Cartridge Filters, Cartridge Filters, Outer Diameter. Many options will appear. Then you can add more attributes such as Length, Media Type and Shape and keywords to narrow down your search.

ORDER PARTS ONLINE

Order replacement filters and parts directly online any time, from anywhere. With greater accessibility, simple point and click. You'll have access to features such as:

Returning Orders - Bulk Orders - Split Shipping - Invoices - Availability - Your Price Discount - Data sheets



FIND

Multiple search functions let you find the parts you need - fast.



ORDER

Order parts and filters online from your computer, phone or tablet.



MANAGE

Access your account to view your orders, shipments, invoices and more!

WWW.SHOP.DONALDSON.COM



Discover our range on www.donaldson.com
 Shop for filters the easier way at shop.donaldson.com
 Contact us on iaf-europe@donaldson.com